STK JOINERY

A LIST OF STAIR PARTS AND TIMBER TYPES



Please Note: timber colours will vary due to natural colouring

STK JOINERY

Spindles



We produce a range of spindles that will compliment every staircase, whether it be a modern or a traditional design.

If you do not find what you're looking for in our range,



Stop Ovolo

Twist you may have a design of your own or an existing pattern to be matched, we can copy this for you from a photograph, drawing or your old spindle.



The spindles are available in 4 different thicknesses (32mm, 35mm, 41mm and 50mm square) although you will notice that there is more choice the thicker the spindle size. This is because some of the patterns are so intricate that only the

larger size are strong enough.

Spindles come in 2 different lengths (900mm & 1100mm). The 900mm long spindles are used for the



staircase and the 1100mm long spindles are used for the landing sections.





All our products are available in 5 different timbers. PINE, HEMLOCK, SAPELE, ASH & OAK.

Design your own


Remember:- If you do not find a design within our standard range that you like ... Design your own

32mm² Spindles (900mm or 1100mm)





41mm² Spindles (900mm or 1100mm)





90mm Pin Newel (Also Available in halves)

Newel posts are available as a FULL or PIN newel. ALL posts are available in 83mm or 90mm square and most posts have a 160mm or 220mm top square (where the handrail fixes). All Posts and Caps are available in Halves (for wall fixings).

FULL Newel means including the bottom square. It comes from 1 piece of timber.

PIN Newel is used when there is already a base post in the staircase. This saves a lot of work and is equally as strong once fixed.





675mm

Continuous



Please note:

314mm

396mr

All patterns, ie, Twist & Provincial etc are available in all post sizes, ie: 160/220/314/ pulpit etc.

Pulpit Newel This is a shortened double square pin newel and might be required where an up coming hand rail meets the post below the turning, e.g on the inside corner of a 90° winding turn.

160 Pin Newel - Opening newel at the bottom of a staircase


220 Pin Newel - Used on landings, especially where the horizontal landing rail meets an up coming sloping hand rail

314 Pin Newel - Special situations where hand rails meet at different heights

Double Square Pin Newel - Used on the inside corner of quarter landing where the staircase turns through 90 degrees

Continuous Pin Newel - Used in conjunction with the traditional range of continuous rail fittings

Baseposts (Also available in halves)



160mm or 220m

570mm




Georgian Fluted


160mm

10 220

570mm




Handrails & Baserails Handrails are available at any lengths you require. All handrail and baserail includes infill. Mopstick Handrail - 50mm dia Baserail **Deep Handrail Superior Handrail** Low Profile Handrail 61mm Continuous Handrails (Deep Profile Only) Volute - Left hand Volute - Right hand **Horizontal Turn Opening Cap Continuous - Straight cap** Horizontal Turn Cap **Down Ramp Up Ramp** Vertical Turn **Continuous - Scroll End**



Manor Handrails & Baserails



Manor Pin Newals (115mm square) Manor range pin newals available in all configurations (see standard pin newals for sizes) Roman Windsor **Georgian Fluted** Roman Georgian Windsor Fluted Fluted Manor Baseposts (115mm Square) Baseposts 2.8m Baseposts 2m Baseposts ‱m Baseposts Baseposts 700mm




Manor Caps (115mm Square)




THESES PICTURES ARE SUBJECT TO CHANGE

CHROME STAIR PARTS



THESES PICTURES ARE SUBJECT TO CHANGE



THESES PICTURES ARE SUBJECT TO CHANGE